

CBD Spray

Sample ID: 1904CSALA2826.9782

Strain: CBD Spray

Matrix: Topical

Type: Other

Sample Size: 1 units

Batch Size:

Produced: N/A

Collected: 04/16/2019

Received: 04/16/2019

Completed: 04/23/2019

Batch#:

Client

S.A.M.'s Management Venture LLC

Lic. #

7920 Arjons Dr STE H

San Diego, CA, 92126-6301



Summary

Pass

236.48 mg/package Total Cannabinoids	Pass Pesticides	Not Tested Residual Solvents
Pass Microbials	Not Tested Mycotoxins	Not Tested Heavy Metals

Cannabinoids

Testing method: HPLC-SOP 101

Pass

Analyte	LOD	LOQ	Mass	Mass
	mg/package	mg/package	mg/package	mg/ml
CBD	0.01842	0.04937	229.08	4.03
CBDV	0.00494	0.04937	7.41	0.13
CBC	0.00706	0.04937	ND	ND
CBDa	0.01002	0.04937	ND	ND
CBG	0.01842	0.04937	ND	ND
CBGa	0.00968	0.04937	ND	ND
CBN	0.008	0.04937	ND	ND
THCa	0.01106	0.04937	ND	ND
THCV	0.01935	0.04937	ND	ND
Δ8-THC	0.02078	0.04937	ND	ND
Δ9-THC	0.02088	0.04937	ND	ND
Total			236.48	4.16

Terpenes

Testing method: HS-GC-FID - SOP 201

Not Tested

NT Moisture Moisture Analyzer SOP-103	NT Water Activity Water Activity Meter SOP-102	NT Foreign Matter Visual Inspection SOP-001
--	---	--

ND Total THC	229.08 mg/package Total CBD
------------------------	---------------------------------------

1 Unit = 1 bottle, 2.0 fluid_ounces; Density = 0.8688 g/ml; 1.0 servings per package; 0.0 mg/package Total THC; 229.08 mg/package Total CBD;

Date Tested: 04/20/2019

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653



 Mallory Speakman
 Laboratory Director - LA
 04/23/2019



 Anya Engen
 Quality Manager
 04/23/2019

CBD Spray

Sample ID: 1904CSALA2826.9782

Strain: CBD Spray

Matrix: Topical

Type: Other

Sample Size: 1 units

Batch Size:

Produced: N/A

Collected: 04/16/2019

Received: 04/16/2019

Completed: 04/23/2019

Batch#:

Client

S.A.M.'s Management Venture LLC

Lic. #

7920 Arjons Dr STE H

San Diego, CA, 92126-6301

Pesticides

Testing method: LCMS & GCMS-SOP 301

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.018	0.059	0.3	ND	Pass	Fludioxonil	0.007	0.024	30.0	ND	Pass
Acephate	0.009	0.029	5.0	ND	Pass	Hexythiazox	0.007	0.024	2.0	ND	Pass
Acequinocyl	0.005	0.018	4.0	ND	Pass	Imazalil *	0.004	0.012	0.1	ND	Pass
Acetamiprid	0.004	0.013	5.0	ND	Pass	Imidacloprid	0.039	0.129	3.0	ND	Pass
Aldicarb *	0.004	0.013	0.1	ND	Pass	Kresoxim Methyl	0.005	0.017	1.0	ND	Pass
Azoxystrobin	0.006	0.019	40.0	ND	Pass	Malathion	0.01	0.032	5.0	ND	Pass
Bifenazate	0.004	0.014	5.0	ND	Pass	Metalaxyl	0.003	0.01	15.0	ND	Pass
Bifenthrin	0.008	0.027	0.5	ND	Pass	Methiocarb *	0.006	0.02	0.1	ND	Pass
Boscalid	0.006	0.019	10.0	ND	Pass	Methomyl	0.009	0.03	0.1	ND	Pass
Captan	0.0789	0.2631	5.0	ND	Pass	Methyl Parathion *	0.007	0.0233	0.1	ND	Pass
Carbaryl	0.005	0.015	0.5	ND	Pass	Mevinphos *	0.003	0.011	0.1	ND	Pass
Carbofuran *	0.005	0.018	0.1	ND	Pass	Myclobutanil	0.017	0.058	9.0	ND	Pass
Chlorantraniliprole	0.007	0.024	40.0	ND	Pass	Naled	0.007	0.024	0.5	ND	Pass
Chlordane *	0.0291	0.0969	0.1	ND	Pass	Oxamyl	0.003	0.009	0.2	ND	Pass
Chlorfenapyr *	0.01	0.033	0.1	ND	Pass	Paclobutrazol *	0.013	0.044	0.1	ND	Pass
Chlorpyrifos *	0.005	0.017	0.1	ND	Pass	Pentachloronitrobenzene	0.0046	0.0152	0.2	ND	Pass
Clofentezine	0.006	0.019	0.5	ND	Pass	Permethrin	0.011	0.036	20.0	ND	Pass
Coumaphos *	0.009	0.028	0.1	ND	Pass	Phosmet	0.007	0.025	0.2	ND	Pass
Cyfluthrin	0.008	0.026	1.0	ND	Pass	Piperonyl Butoxide	0.005	0.018	8.0	ND	Pass
Cypermethrin	0.013	0.044	1.0	ND	Pass	Prallethrin	0.007	0.024	0.4	ND	Pass
Daminozide *	0.021	0.07	0.1	ND	Pass	Propiconazole	0.008	0.026	20.0	ND	Pass
DDVP *	0.004	0.012	0.1	ND	Pass	Propoxur *	0.004	0.013	0.1	ND	Pass
Diazinon	0.005	0.017	0.2	ND	Pass	Pyrethrins	0.003	0.01	1.0	ND	Pass
Dimethoate *	0.003	0.011	0.1	ND	Pass	Pyridaben	0.008	0.027	3.0	ND	Pass
Dimethomorph	0.007	0.023	20.0	ND	Pass	Spinetoram	0.007	0.022	3.0	ND	Pass
Ethoprophos *	0.004	0.013	0.1	ND	Pass	Spinosad	0.005	0.016	3.0	ND	Pass
Etofenprox *	0.005	0.017	0.1	ND	Pass	Spiromesifen	0.007	0.023	12.0	ND	Pass
Etoxazole	0.006	0.018	1.5	ND	Pass	Spirotetramat	0.009	0.03	13.0	ND	Pass
Fenhexamid	0.009	0.03	10.0	ND	Pass	Spiroxamine *	0.006	0.019	0.1	ND	Pass
Fenoxycarb *	0.007	0.022	0.1	ND	Pass	Tebuconazole	0.013	0.042	2.0	ND	Pass
Fenpyroximate	0.009	0.03	2.0	ND	Pass	Thiacloprid *	0.007	0.023	0.1	ND	Pass
Fipronil *	0.017	0.056	0.1	ND	Pass	Thiamethoxam	0.004	0.013	4.5	ND	Pass
Flonicamid	0.0244	0.0814	2.0	ND	Pass	Trifloxystrobin	0.004	0.014	30.0	ND	Pass

Date Tested: 04/19/2019

* Denotes Category I pesticides, which fail when detected; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 04/23/2019

 Anya Engen
 Quality Manager
 04/23/2019

CBD Spray

Sample ID: 1904CSALA2826.9782

Strain: CBD Spray

Matrix: Topical

Type: Other

Sample Size: 1 units

Batch Size:

Produced: N/A

Collected: 04/16/2019

Received: 04/16/2019

Completed: 04/23/2019

Batch#:

Client

S.A.M.'s Management Venture LLC

Lic. #

7920 Arjons Dr STE H

San Diego, CA, 92126-6301

Microbials


Testing method: PCR-SOP 401

Pass

Analyte	Result	Status
Salmonella	Not Detected	Pass
Shiga toxin-producing E. Coli	Not Detected	Pass

Date Tested: 04/19/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 04/23/2019

 Anya Engen
 Quality Manager
 04/23/2019